Version 2.1	Revision Date: 2019-09-12	SDS Nu 8000100		Print Date: 2019-09-19 Date of last issue: 18.07.2019 Date of first issue: 11.05.2016				
SECTION	SECTION 1. IDENTIFICATION							
Produc	ct name	: Shell Rotella T5 10W-30						
Product code		: 001F8878						
Manufacturer or supplier's details								
Manuf	acturer/Supplier	400	I Canada Pro- - 4th Avenue ary AB T2P ada	S.W				
Teleph Telefa		· · ·	8006611600 4033848345					

Emergency telephone num- ber	:	CANUTEC (24 hr): (+1) 613-996-6666; Toll Free: 1-888-CAN- UTEC (226-8832) CHEMTREC (24 hr): 1 (703) 527-3887 or 1 (800) 424-9300 (US)
---------------------------------	---	------------------------------------------------------------------------------------------------------------------------------------------------

Recommended use of the chemical and restrictions on use

Recommended use : Engine oil.

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification Long-term (chronic) aquatic hazard	: Category 3
GHS label elements	
Hazard pictograms	: No symbol
Signal word	: No signal word
Hazard statements	 PHYSICAL HAZARDS: Not classified as a physical hazard under GHS criteria. HEALTH HAZARDS: Not classified as a health hazard under GHS criteria. ENVIRONMENTAL HAZARDS: H412 Harmful to aquatic life with long lasting effects.
Precautionary statements	: Prevention: P273 Avoid release to the environment.

Version Revision Date: 2.1 2019-09-12

SDS Number: 800010026635

Print Date: 2019-09-19 Date of last issue: 18.07.2019 Date of first issue: 11.05.2016

Response:

No precautionary phrases. **Storage:** No precautionary phrases. **Disposal:** P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

Prolonged or repeated skin contact without proper cleaning can clog the pores of the skin resulting in disorders such as oil acne/folliculitis. Used oil may contain harmful impurities. Not classified as flammable but will burn.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance name	: Shell Rotella T5 10W-30
Chemical nature	 Highly refined mineral oils and additives. The highly refined mineral oil contains <3% (w/w) DMSO- extract, according to IP346.
	* contains one or more of the following CAS-numbers: 64742- 53-6, 64742-54-7, 64742-55-8, 64742-56-9, 64742-65-0, 68037-01-4, 72623-86-0, 72623-87-1, 8042-47-5, 848301-69- 9, 68649-12-7, 151006-60-9, 163149-28-8.

Hazardous components

Chemical name	CAS-No.	Concentration (% w/w)
Interchangeable low viscosity base oil (<20,5 cSt @40°C) *	Not Assigned	0 - 90
Alkaryl amine	36878-20-3	1 - 3
Calcium sulphonate	70024-69-0	0.1 - 0.99
Dialkyl alkaryl aminomethyl dicarboxylate	Not Assigned	0.1 - 0.99
Alcohol, ethoxylated	68551-12-2	0.1 - 0.99
Alkyl borate	Not Assigned	0.1 - 0.99

SECTION 4. FIRST-AID MEASURES

If inhaled	: No treatment necessary under normal conditions of use. If symptoms persist, obtain medical advice.
In case of skin contact	 Remove contaminated clothing. Flush exposed area with wa- ter and follow by washing with soap if available. If persistent irritation occurs, obtain medical attention.
In case of eye contact	: Flush eye with copious quantities of water. Remove contact lenses, if present and easy to do. Continue rinsing.

Version 2.1	Revision Date: 2019-09-12	SDS Number: 800010026635	Print Date: 2019-09-19 Date of last issue: 18.07.2019 Date of first issue: 11.05.2016		
		If persistent irr	itation occurs, obtain medical attention.		
If swallowed		: In general no treatment is necessary unless large quantities are swallowed, however, get medical advice.			
Most important symptoms and effects, both acute and delayed		of black pustul	: Oil acne/folliculitis signs and symptoms may include formation of black pustules and spots on the skin of exposed areas. Ingestion may result in nausea, vomiting and/or diarrhoea.		
Protection of first-aiders		appropriate pe	tering first aid, ensure that you are wearing the ersonal protective equipment according to the and surroundings.		
Notes to physician		: Treat sympton	natically.		

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Foam, water spray or fog. Dry chemical powder, carbon diox- ide, sand or earth may be used for small fires only.
Unsuitable extinguishing media	:	Do not use water in a jet.
Specific hazards during fire- fighting	:	Hazardous combustion products may include: A complex mixture of airborne solid and liquid particulates and gases (smoke). Carbon monoxide may be evolved if incomplete combustion occurs. Unidentified organic and inorganic compounds.
Specific extinguishing meth- ods	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment.
Special protective equipment for firefighters	:	Proper protective equipment including chemical resistant gloves are to be worn; chemical resistant suit is indicated if large contact with spilled product is expected. Self-Contained Breathing Apparatus must be worn when approaching a fire in a confined space. Select fire fighter's clothing approved to relevant Standards (e.g. Europe: EN469).

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Avoid contact with skin and eyes.
Environmental precautions	:	Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for	:	Slippery when spilt. Avoid accidents, clean up immediately.
3 / 15		800010026635

Version 2.1	Revision Date: 2019-09-12	SDS Number: 800010026635	Print Date: 2019-09-19 Date of last issue: 18.07.2019 Date of first issue: 11.05.2016
containment and cleaning up		or other containr Reclaim liquid di Soak up residue	reading by making a barrier with sand, earth nent material. rectly or in an absorbent. with an absorbent such as clay, sand or other and dispose of properly.
Additional advice		see Chapter 8 of	selection of personal protective equipment f this Safety Data Sheet. disposal of spilled material see Chapter 13 of Sheet.

SECTION 7. HANDLING AND STORAGE

General Precautions	:	Use local exhaust ventilation if there is risk of inhalation of vapours, mists or aerosols. Use the information in this data sheet as input to a risk assessment of local circumstances to help determine appropriate controls for safe handling, storage and disposal of this material.
Advice on safe handling	:	Avoid prolonged or repeated contact with skin. Avoid inhaling vapour and/or mists. When handling product in drums, safety footwear should be worn and proper handling equipment should be used. Properly dispose of any contaminated rags or cleaning mate- rials in order to prevent fires.
Avoidance of contact	:	Strong oxidising agents.
Product Transfer	:	Proper grounding and bonding procedures should be used during all bulk transfer operations to avoid static accumulation.
Storage		
Other data	:	Keep container tightly closed and in a cool, well-ventilated place. Use properly labeled and closable containers.
		Store at ambient temperature.
Packaging material	:	Suitable material: For containers or container linings, use mild steel or high density polyethylene. Unsuitable material: PVC.
Container Advice	:	Polyethylene containers should not be exposed to high tem- peratures because of possible risk of distortion.

Version	Revision Date:	SDS Number:	Print Date: 2019-09-19
2.1	2019-09-12	800010026635	Date of last issue: 18.07.2019
			Date of first issue: 11.05.2016

SECTION 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Oil mist, mineral	Not Assigned	TWA (Mist)	5 mg/m3	OSHA Z-1
		TWA (Inhal-	5 mg/m3	ACGIH
		able fraction)		

Biological occupational exposure limits

No biological limit allocated.

Monitoring Methods

Monitoring of the concentration of substances in the breathing zone of workers or in the general workplace may be required to confirm compliance with an OEL and adequacy of exposure controls. For some substances biological monitoring may also be appropriate.

Validated exposure measurement methods should be applied by a competent person and samples analysed by an accredited laboratory.

Examples of sources of recommended exposure measurement methods are given below or contact the supplier. Further national methods may be available.

National Institute of Occupational Safety and Health (NIOSH), USA: Manual of Analytical Methods http://www.cdc.gov/niosh/

Occupational Safety and Health Administration (OSHA), USA: Sampling and Analytical Methods http://www.osha.gov/

Health and Safety Executive (HSE), UK: Methods for the Determination of Hazardous Substances http://www.hse.gov.uk/

Institut für Arbeitsschutz Deutschen Gesetzlichen Unfallversicherung (IFA), Germany http://www.dguv.de/inhalt/index.jsp

L'Institut National de Recherche et de Securité, (INRS), France http://www.inrs.fr/accueil

Engineering measures	 The level of protection and types of controls necessary will vary depending upon potential exposure conditions. Select controls based on a risk assessment of local circumstances. Appropriate measures include: Adequate ventilation to control airborne concentrations.
	Where material is heated, sprayed or mist formed, there is greater potential for airborne concentrations to be generated.
	General Information: Define procedures for safe handling and maintenance of controls. Educate and train workers in the hazards and control measures relevant to normal activities associated with this product. Ensure appropriate selection, testing and maintenance of equipment used to control exposure, e.g. personal protective

Version 2.1	Revision Date: 2019-09-12	SDS Number: 800010026635	Print Date: 2019-09-19 Date of last issue: 18.07.2019 Date of first issue: 11.05.2016
		Drain down systen nance. Retain drain down subsequent recyn Always observe washing hands a drinking, and/or protective equiption	good personal hygiene measures, such as after handling the material and before eating, smoking. Routinely wash work clothing and ment to remove contaminants. Discard con- ng and footwear that cannot be cleaned.
	onal protective equipn		
Respi	ratory protection	conditions of use In accordance w tions should be t If engineering co tions to a level w select respiratory cific conditions o Check with respi Where air-filterin priate combination Select a filter su	rotection is ordinarily required under normal a. ith good industrial hygiene practices, precau- aken to avoid breathing of material. ontrols do not maintain airborne concentra- which is adequate to protect worker health, y protection equipment suitable for the spe- f use and meeting relevant legislation. ratory protective equipment suppliers. g respirators are suitable, select an appro- on of mask and filter. table for the combination of organic gases I particles [Type A/Type P boiling point
	protection marks	gloves approved US: F739) made suitable chemica gloves Suitability usage, e.g. frequ sistance of glove glove suppliers. Personal hygien Gloves must onl gloves, hands sh cation of a non-p For continuous of through time of r 480 minutes whe short-term/splas recognize that su may not be avail time maybe acce and replacement	tact with the product may occur the use of to relevant standards (e.g. Europe: EN374, from the following materials may provide al protection. PVC, neoprene or nitrile rubber of and durability of a glove is dependent on uency and duration of contact, chemical re- ematerial, dexterity. Always seek advice from Contaminated gloves should be replaced. e is a key element of effective hand care. y be worn on clean hands. After using hould be washed and dried thoroughly. Appli- berfumed moisturizer is recommended. contact we recommend gloves with break- nore than 240 minutes with preference for > ere suitable gloves can be identified. For h protection we recommend the same but uitable gloves offering this level of protection able and in this case a lower breakthrough eptable so long as appropriate maintenance t regimes are followed. Glove thickness is not of glove resistance to a chemical as it is e exact composition of the glove material.

Version 2.1	Revision Date: 2019-09-12	SDS Number: 800010026635	Print Date: 2019-09-19 Date of last issue: 18.07.2019 Date of first issue: 11.05.2016
			ess should be typically greater than 0.35 mm the glove make and model.
Еуе р	rotection		nandled such that it could be splashed into eyes, ewear is recommended.
Skin a	and body protection	work clothes.	on is not ordinarily required beyond standard ctice to wear chemical resistant gloves.
Thern	nal hazards	: Not applicabl	e
Prote	ctive measures		ective equipment (PPE) should meet recom- onal standards. Check with PPE suppliers.
Envir	onmental exposure c	ontrols	

General advice	 Take appropriate measures to fulfill the requirements of relevant environmental protection legislation. Avoid contamination of the environment by following advice given in Section 6. If necessary, prevent undissolved material from being discharged to waste water. Waste water should be treated in a municipal or industrial waste water treatment plant before discharge to surface water. Local guidelines on emission limits for volatile substances must be observed for the discharge of exhaust air containing vapour.
----------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Colour	: Clear amber
Odour	: Slight hydrocarbon
Odour Threshold	: Data not available
рН	: Not applicable
pour point	: -51 °C / -60 °F Method: ASTM D97
Initial boiling point and boiling range	: > 280 °C / 536 °F estimated value(s)
Flash point	: 239 °C / 462 °F
	Method: ASTM D92 (COC)

Version 2.1	Revision Date: 2019-09-12	800010026635 Date of	Date: 2019-09-19 of last issue: 18.07.2019 of first issue: 11.05.2016
Eva	aporation rate	: Data not available	
Fla	mmability (solid, gas)	: Data not available	
Up	per explosion limit	: Typical 10 %(V)	
Lov	ver explosion limit	: Typical 1 %(V)	
Va	oour pressure	: < 0.5 Pa (20 °C / 68 °F) estimated value(s)	
Re	ative vapour density	: > 1 estimated value(s)	
Re	ative density	: 0.864 (15 °C / 59 °F)	
De	nsity	: 864 kg/m3 (15.0 °C / 59	.0 °F)Method: ASTM D4052
	ubility(ies) Nater solubility	: negligible	
	Solubility in other solvents	: Data not available	
	rtition coefficient: n- anol/water	: log Pow: > 6 (based on information o	n similar products)
Au	o-ignition temperature	: > 320 °C / 608 °F	
De	composition temperature	: Data not available	
	cosity /iscosity, dynamic	: Data not available	
v	/iscosity, kinematic	: 12.2 mm2/s (100 °C / 2 Method: ASTM D445	I2 °F)
Exp	plosive properties	: Not classified	
Ox	idizing properties	: Data not available	
Co	nductivity	: This material is not expe	ected to be a static accumulator.

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	The product does not pose any further reactivity hazards in addition to those listed in the following sub-paragraph.
Chemical stability	:	Stable.

Version 2.1	Revision Date: 2019-09-12	SDS Number: 800010026635	Print Date: 2019-09-19 Date of last issue: 18.07.2019 Date of first issue: 11.05.2016
Pos tion	sibility of hazardous reac s	- : Reacts with str	rong oxidising agents.
Cor	ditions to avoid	: Extremes of te	mperature and direct sunlight.
Inco	ompatible materials	: Strong oxidisin	g agents.
	ardous decomposition ducts	: No decomposi	tion if stored and applied as directed.

SECTION 11. TOXICOLOGICAL INFORMATION

Basis for assessment	:	Information given is based on data on the components and the toxicology of similar products.Unless indicated otherwise,
		the data presented is representative of the product as a whole, rather than for individual component(s).

Information on likely routes of exposure

Skin and eye contact are the primary routes of exposure although exposure may occur following accidental ingestion.

Acute toxicity

Product:

<u></u>	
Acute oral toxicity :	LD50 (rat): > 5,000 mg/kg Remarks: Low toxicity:
	Based on available data, the classification criteria are not met.
Acute inhalation toxicity :	Remarks: Based on available data, the classification criteria are not met.
Acute dermal toxicity :	LD50 (Rabbit): > 5,000 mg/kg Remarks: Low toxicity: Based on available data, the classification criteria are not met.

Skin corrosion/irritation

Product:

Remarks: Slightly irritating to skin. Prolonged or repeated skin contact without proper cleaning can clog the pores of the skin resulting in disorders such as oil acne/folliculitis. Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation

Product:

Remarks: Slightly irritating to the eye. Based on available data, the classification criteria are not met.

Version	Revision Date:	SDS Number:
2.1	2019-09-12	800010026635

Print Date: 2019-09-19 Date of last issue: 18.07.2019 Date of first issue: 11.05.2016

Respiratory or skin sensitisation

Product:

Remarks: Not a skin sensitiser. Based on available data, the classification criteria are not met.

Components:

Calcium sulphonate:

Remarks: May cause an allergic skin reaction in sensitive individuals.

Remarks: Classified Skin Sensitiser Category 1B.

Dialkyl alkaryl aminomethyl dicarboxylate:

Remarks: May cause an allergic skin reaction in sensitive individuals.

Remarks: Classified Skin Sensitiser Category 1B.

Alkyl borate:

Remarks: May cause an allergic skin reaction in sensitive individuals.

Remarks: Classified Skin Sensitiser Category 1B.

Germ cell mutagenicity

Product:

Genotoxicity in vivo

: Remarks: Non mutagenic Based on available data, the classification criteria are not met.

Carcinogenicity

Product:

Remarks: Not a carcinogen. Based on available data, the classification criteria are not met.

Remarks: Product contains mineral oils of types shown to be non-carcinogenic in animal skinpainting studies.

Highly refined mineral oils are not classified as carcinogenic by the International Agency for Research on Cancer (IARC).

IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
OSHA	No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.
NTP	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Version 2.1	Revision Date: 2019-09-12	SDS Number: 800010026635	Print Date: 2019-09-19 Date of last issue: 18.07.2019 Date of first issue: 11.05.2016

Reproductive toxicity

Product:

Effects on fertility

Remarks: Not a developmental toxicant. Does not impair fertility. Based on available data, the classification criteria are not met.

STOT - single exposure

Product:

Remarks: Based on available data, the classification criteria are not met.

STOT - repeated exposure

Product:

Remarks: Based on available data, the classification criteria are not met.

Aspiration toxicity

Product:

Not an aspiration hazard.

Further information

Product:

Remarks: Used oils may contain harmful impurities that have accumulated during use. The concentration of such impurities will depend on use and they may present risks to health and the environment on disposal.

ALL used oil should be handled with caution and skin contact avoided as far as possible.

Remarks: Continuous contact with used engine oils has caused skin cancer in animal tests.

Remarks: Slightly irritating to respiratory system.

SECTION 12. ECOLOGICAL INFORMATION

Information given is based on a knowledge of the co and the ecotoxicology of similar products. Unless indicated otherwise, the data presented is re tive of the product as a whole, rather than for individ ponent(s).(LL/EL/IL50 expressed as the nominal am product required to prepare aqueous test extract).	epresenta- dual com-
---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------

rsion	Revision Date: 2019-09-12		Number: 10026635	Print Date: 2019-09-19 Date of last issue: 18.07.2019 Date of first issue: 11.05.2016
Ecoto	xicity			
<u>Produ</u>	<u>ict:</u>			
Toxici ty)	ty to fish (Acute toxici-		emarks: LL/EL/II armful	L50 10-100 mg/l
Toxici toxicity	ty to crustacean (Acute y)		emarks: LL/EL/II armful	L50 10-100 mg/l
	ty to algae/aquatic (Acute toxicity)		Remarks: LL/EL/IL50 10-100 mg/l Harmful	
Toxici icity)	ty to fish (Chronic tox-	: R	emarks: Data no	ot available
	ty to crustacean			ot available
Toxici	nic toxicity) ty to microorganisms e toxicity)			ot available
Persis	stence and degradabili	ty		
Produ	ict:			
Biode	gradability	N	lajor constituents	dily biodegradable. s are inherently biodegradable, but contains may persist in the environment.
Bioac	cumulative potential			
<u>Produ</u>	<u>ict:</u>			
Bioaco	cumulation		emarks: Contain umulate.	is components with the potential to bioac-
	on coefficient: n- bl/water		og Pow: > 6 emarks: (based	on information on similar products)
Mobil	ity in soil			
Produ	ict:			
Mobili	ty	lf		under most environmental conditions. vill adsorb to soil particles and will not be
		R	emarks: Floats o	on water.
Other	adverse effects			
<u>Produ</u>	ict:			

Version 2.1	Revision Date: 2019-09-12	SDS Number: 800010026635	Print Date: 2019-09-19 Date of last issue: 18.07.2019 Date of first issue: 11.05.2016		
Additional ecological infor- mation	ozone creation Product is a mix	ozone depletion potential, photochemical potential or global warming potential. kture of non-volatile components, which will not air in any significant quantities under normal e.			
		Poorly soluble mixture. Causes physical fouling of aquatic organisms.			
			not cause chronic toxicity to aquatic organ- rations less than 1 mg/l.		

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	Recover or recycle if possible. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste classification and disposal meth- ods in compliance with applicable regulations. Do not dispose into the environment, in drains or in water courses
	Waste product should not be allowed to contaminate soil or ground water, or be disposed of into the environment. Waste, spills or used product is dangerous waste.
Contaminated packaging	Dispose in accordance with prevailing regulations, preferably to a recognized collector or contractor. The competence of the collector or contractor should be established beforehand. Disposal should be in accordance with applicable regional, national, and local laws and regulations.
Local legislation Remarks	Disposal should be in accordance with applicable regional, national, and local laws and regulations.

SECTION 14. TRANSPORT INFORMATION

National Regulations

TDG

Not regulated as a dangerous good

International Regulations

IATA-DGR

Not regulated as a dangerous good

Version	Revision Date:	SDS Number:
2.1	2019-09-12	800010026635

Print Date: 2019-09-19 Date of last issue: 18.07.2019 Date of first issue: 11.05.2016

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied. MARPOL Annex 1 rules apply for bulk shipments by sea.

Special precautions for user

Remarks

: Special Precautions: Refer to Section 7, Handling & Storage, for special precautions which a user needs to be aware of or needs to comply with in connection with transport.

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

The regulatory information is not intended to be comprehensive. Other regulations may apply to this material.

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR) and the SDS contains all the information required by the HPR.

The components of this product are reported in the following inventories:

EINECS	: All components listed or polymer exempt.
TSCA	: All components listed.
DSL	: All components listed.

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

AICS - Australian Inventory of Chemical Substances; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median

Version 2.1	Revision Date: 2019-09-12	SDS Number: 800010026635	Print Date: 2019-09-19 Date of last issue: 18.07.2019 Date of first issue: 11.05.2016
			Date of first issue: 11.05.2016

Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

A vertical bar (|) in the left margin indicates an amendment from the previous version.

Sources of key data used to compile the Safety Data Sheet	: The quoted data are from, but not limited to, one or more sources of information (e.g. toxicological data from Shell Health Services, material suppliers' data, CONCAWE, EU IUCLID date base, EC 1272 regulation, etc).	
Revision Date	: 2019-09-12	

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

CA / EN